

# **REVZERO**

The grinder  
that designs flavor.



Rev Zero Webpage

**ceado.**



# REVZERO

The ideal grinder to enhance **flavor clarity**, making it perfect for specialty coffee enthusiasts.

## RSZ83

83 mm Red Speed coated burrs with lifespan of 4 tons.

ceado. original burrs



Designing**Flavor.**

ceado.

# Sweep Out Dual Spin



The Sweep-Out technology **eliminates coffee retention**, keeping every dose fresh and full of flavor.

- Preserves **volatile** compounds, enhancing aroma and complexity in the cup.
- Delivers **99% of ground coffee** into the portafilter, maximizing flavor clarity and consistency.
- **Prevents variability** caused by retained grounds affecting temperature, gas content, and taste.
- **Minimizes retention to just ~2g** between the burrs (vs. 9–13g in other grinders), saving 3–5 doses per day.
- Works in **synergy with GTM, WAM, and Steady Lock** technologies to maintain consistent dosing and grind size in all conditions.



# Weight Adjustment Module

WAM

Consistent weight aids in building and monitoring flavour recipes. The Rev Series feature an **interchangeable weight module** that can be mounted in under two minutes, even post grinder installation.



WAM Module



PFA Module

ceado.

DesigningFlavor.


# Grounds Temperature Management

Stable and **low coffee grounds temperature** is key for consistent flavor extraction.


- ① **2,5 kg heat sink** around the burrs to constantly remove large amounts of heat.
- ② **Shaft** separates burrs from motor to prevent heat transmission.
- ③ **Insulation** to prevent heat transmission through the shaft.
- ④ **Active internal airflow management** to support temperature stability at any pace.



## Peak Hour




## Stress Test




# Steady Lock



The grinder features a counteracting system that **expands in the opposite direction** of the burrs, neutralizing the effect of heat expansion. This ensures a consistent particle size at any pace, preserving the same flavor profile.



**Peak Hour**  
Granulometry Consistency





# Noise Reduction



Grinder built to **prevent vibration transmission** and **noise emissions**.

- ① **2,5 kg grind chamber** for higher noise insulation.
- ② **Rubber rings** to reduce noise propagation.
- ③ **Motor separated from burrs** to prevent vibration transmission.
- ④ Motor mounted on **suspension system** reduces vibration emission.



**Advanced Leveling Intelligent Grinding Nexus**

## Align

High-precision **stepless adjustment with display** for a digital, intuitive, and quick reading of the grind setting.



**ceado.**

# Cleaning has never been easier.

Burrs are easy to clean and inspect as it takes only **3 screws** to remove the top of the grind chamber. No grind re-adjustment is needed after cleaning.



## Removable Chute

It only takes **few seconds and a screwdriver** to loosen the safety screw and extract the chute along with the metal flap for cleaning. Putting it back is as easy: **four guides** quickly bring it back to the correct position with no chance of error.

## Removable Air Filter


To prevent dust and dirt entering the inner parts of the grinder, an air filter is installed behind the air suction grid. A **cleaning reminder** periodically appears on display.





The user interface is designed to be state-of-the-art, ensuring **intuitive use** for all.


Scroll  
Down Menu



**Customizable Dose Layout**




# User Interface




**Programmable Air Flow**



**Maintenance Alerts**



**Five Grinding Activation Modes**



**General Settings**

Ground temperature stability  
Weight precision  
Granulometry consistency  
Zero Retention

**The grinder that  
designs flavor.**



© Ceado srl - all rights reserved - 05/2025



**RSZ83**

ceado. original burrs

# REVZERO

## Ø 83 Red Speed flat burrs



Align



Steady Lock



Gtm



WAM



Sweep Out  
Dual Spin

### Technical data

<b>Voltage - Power</b>	220-240 V · 50-60 Hz / 900 W 110-120 V · 60 Hz / 7 A
<b>Rpm 50 Hz / 60 Hz</b>	1480 / 1700 rpm
<b>Average Output (g/s)</b>	5,2 (50 Hz) / 6 (60 Hz)
<b>Net weight</b>	17 kg
<b>Gross weight</b>	18,8 kg
<b>Dimensions</b>	200 x 270 x 630h mm
<b>Burrs</b>	<b>RSZ83</b> Ø 83 Red Speed flat burrs*
<b>Hopper</b>	Approximately 1600 g
<b>Dose setting</b>	Digital with grind reference on display
<b>Display</b>	Multifunction Touch
<b>Noise</b>	62 dB



\*NSF version uses Steel burrs.

**Designing** Flavor.

**ceado.**