

# E6C

Chameleon

**Big flavor on  
a small budget.**



E6C Website

**ceado.**



# Maximizes flavor.

- **Multipurpose geometry**
- Coating for RDT technology
- Powerful motor for high density beans
- **30 degree** incline and bellow for virtually zero retention
- Blade for clumps – minimal regrinding
- **No clumps** even for espresso



**ceado.** original burrs



## Versatile.

**Easy to switch**  
between settings from  
full bodied espresso  
to super clean juicy filter.

**ceado.**

# Easy to buy, to use, to clean.



## Clean taste.

- **Easy to access and clean** thanks to detachable chute and only three screws to access burr chamber
- **Resettable dial** to easily identify the zero setting



## Ergonomic.

- **Led light** during operation to illuminate work area and signal that the grinder is on
- Easy to read **dial**
- High **grip collar** for quick switch between settings




**ceado.**





**Maximizes flavor.  
Versatile.  
Easy to clean.  
Ergonomic.**



**Certification List**



© Ceano srl - all rights reserved - 10/2024

**OGX64**

**ceado.** original burrs

**E6C**

**For all brew methods**  
Ø 64 Opalglide™ flat burrs

**Technical data**

<b>Voltage</b> <i>Alimentazione</i>	110 / 220-240V · 50-60 hz
<b>Motor</b> <i>Motore</i>	550 W
<b>Rpm</b> <i>50hz / 60hz</i>	1480 / 1700 rpm
<b>Net weight</b> <i>Peso netto</i>	9,7 kg
<b>Gross weight</b> <i>Peso lordo</i>	10,8 kg
<b>Dimensions</b>	185 x 385 x 390h mm
<b>Burrs</b> <i>Macine</i>	<b>OGX64</b> Ø 64 Opalglide™ flat burrs*
<b>Funnel</b>	Approximately 100 g
<b>Dose setting</b>	Single Dose

Note: Additional voltage models available.  
\*US version uses *Steel burrs* only.



**Detachable  
Chute**



**Steady  
Lock**

**Technologies**



**ceado.**